

Bona Sport Catalog



Bona Sport Floor References

NBA & NCAA Arenas

- American Airlines Arena-Miami Heat
- FedEx Forum-Memphis Grizzlies and the University of Memphis Tigers
- Conseco Fieldhouse-Indiana Pacers
- Quicken Loans Arena-Cleveland Cavaliers
- ARCO Arena-Sacramento Kings
- Philips Arena-Atlanta Hawks
- Pepsi Center-Denver Nuggets
- Energy Solutions Arena-Utah Jazz
- Magness Arena-University of Denver Pioneers
- Maples Pavilion-Stanford University Cardinal
- Haas Pavilion-University of California-Berkeley Golden Bears
- The Pavilion-University of California-Davis Aggies
- O'Connell Center-University of Florida Gators
- Stegeman Coliseum-University of Georgia Bulldogs
- Peterson Events Center-University of Plttsburgh Panthers
- Beard-Eaves Memorial Coliseum-Auburn University Tigers
- Hart Center-Holy Cross Crusaders
- Crisler Arena-University of Michigan Wolverines
- Fifth Third Arena-University of Cincinnati Bearcats
- Alexander Memorial Coliseum-Georgia Tech Yellow Jackets
- St. John Arena-Ohio State University Buckeyes
- Don Haskens Center-University of Texas-El Paso Miners
- Los Angeles Athletic Club-John R. Wooden Award Court

And thousands of other university and local school gym floors, athletic club floors and racquetball courts



GREENGUARD Certified

The Bona System is the only GREENGUARD certified hardwood floor finishing system in the industry.

GREENGUARD certified

The Bona System is the only GREENGUARD certified hardwood floor finishing system in the industry.

Bona floor cleaners are also GREENGUARD certified for Children & Schools. For more information, visit www.greenguard.org





Los Angeles Athletic Club -John R. Wooden Award Court

Waterborne System

"The demands of the customer at this level of competition require a commitment to excellence. Bona offers a complete seal, paint and finish system that we can trust to perform and Bona backs that commitment with professionalism at every level."

John Prater — Prater's Incorporated

SuperSport™ Seal

Minimizes sidebonding. Non-yellowing, VOC compliant, nonflammable. Use with SuperSport finish.

Item No.	Size/Sheen	No./Case	Lbs./Case
WB200055091	5 Gallon	1	45



SuperSport™ Finish

Gloss

The top sport gloss finish for durability and appearance. Comes complete with crosslinker. MFMA-approved, VOC compliant, two-component.

Item No.	Size/Sheen	No./Case	Lbs./Case
WT760055090	5 Gallon - Gloss	1	45



Crosslinker

Extra crosslinker for use with SuperSport™ waterborne finish.

Item No.	Size/Sheen	No./Case	Lbs./Case
SH750009043	12.7 oz. for 5 Gallon	1	12.7 oz.

SuperSport™ One Finish

Gloss

New and improved one component sport finish with no mixing or waste. Low VOC makes this superb finish a great choice for the floor and the environment.

Item No. Size/Sheen		No./Case	Lbs./Case
WT133055001	5 Gallon - Gloss	1	45



CourtLines® Sport Floor Paint

High-solids, fast drying, solvent-based sport floor paint, manufactured specifically for use with both waterborne and oil-modified sport floor sealers and finishes. Blendable to achieve any custom color desired. Low viscosity with excellent flow and leveling. One-coat coverage on most colors. Quart can.

Item No.	Color	No./Case	Lbs./Case	Item No.	Color	No./Case	Lbs./Case
SC750051112	Lt. Blue	4	10	SC750051120	Brown	4	10
SC750051113	Red	4	10	SC750051154	Purple	4	10
SC750051114	Green	4	10	SC750051155	Gold	4	10
SC750051115	White	4	10	SC750051156	Maroon	4	10
SC750051116	Black	4	10	SC750051157	Gray	4	10
SC750051117	Orange	4	10	SC750051158	Lt. Beige	4	10
SC750051118	Dark Blue	4	10	SC750051159	N.C. Blue	4	10
SC750051119	Vellow	Δ	10				



Oil-Modified System

Sport Seal

Oil-modified high build sealer for sport and all-purpose floors. MFMA approved.

Item No.	Size	No./Case	Lbs./Case
SB750055109	5 Gallon	1	40



Oil-modified high build sealer for sport and all-purpose floors. VOC compliant.

Item No.	Size	No./Case	Lbs./Case
SB750055111	5 Gallon	1	40

DriFast™ Sport Seal

Oil-modified high build sealer for sport and all-purpose floors. Dries in less than 2 hours.

Item No.	Size	No./Case	Lbs./Case
SB750055112	5 Gallon	1	40

All Court® Poly

Gloss

Oil-modified, gloss finish with superior leveling and flow qualities for sport and all-purpose floors. MFMA-approved.

Item No.	Size	No./Case	Lbs./Case
ST750055153	5 Gallon - Gloss	1	40

Sport Poly

Gloss

Oil-modified, gloss finish with excellent leveling and flow qualities for sport and all-purpose floors. MFMA-approved.

Item No.	Size	No./Case	Lbs./Case
ST750055111	5 Gallon - Gloss	1	40

Sport Poly 350

Gloss

Oil-modified, gloss finish with excellent leveling and flow qualities for sport and all-purpose floors. MFMA-approved. VOC Compliant.

Item No.	Size	No./Case	Lbs./Case
ST750055155	5 Gallon - Gloss	1	40













"Covington flooring uses the Bona System exclusively. From the NCAA to the NBA we have had great success with Bona products and their customer service is second to none."

Joe Covington Jr. — President, Covington Floor Company, Inc.

Recoat Preparation

"BonaKemi's complete sport systems provide the most cost-effective, aesthetically-pleasing solution for all our jobs. Beautiful finishes that resist extreme traffic combined with easy, effective maintenance systems create unsurpassed results that last."

Clint S. Walker — Pro Sport Floors, Inc.



Bona Prep[™]

Cleans and conditions existing finish to optimize adhesion of a new coat of finish. For all urethane-finished hardwood floors including aluminum oxide, ceramic, other prefinished floors, and sport floors.

Item No.	Size	No./Case	Lbs./Case
WM700018158	Gallon	4	35
WM700055159	5 Gallon	1	41



Vacs & Buffers

Bona® DCS® Back Vac

Powerful vacuum with padded shoulder and waist straps for use with DCS Buffers or vacuum attachment tools. Tools included.

Item No.	Lbs.
AM0002668	10



Bona® DCS® Back Vac Paper Replacement Bags

Item No.	No./Case
AS3200311	10





Bona® DCS® Buffer

Precision engineered 16" buffer with adjustable Illuminator light on swivel bracket for the Dust Containment System. Foot-activated, adjustable handle to accommodate all users. Low deck height for access to toe kicks and other hard-to-reach places.25' hose/cord assembly. Drive plate included.

Item No.	Lbs.
AM0003210	108

DCS® Buffer Drive Plate

AS1503730





Conditioning Pads/Belts

Conditioning Pads



This unique conditioning pad system outperforms any abrasive or conditioning material today for abrading wood floors between finish coats. Exceptional results when used for smoothing sealer coats and abrading between finish coats—solvent and waterborne systems.

Item No.	Size/Grit	No./Case	Lbs./Case
AAS19522203	16"/320	10	4
AAS19522101	20"/320	10	4



Delta Sheets

Specially designed, slow-loading abrasives for smoothing waterborne sealers. Attaches quickly to Bona Conditioning Pads.

Item No.	Size/Grit	No./Case	Lbs./Case
AA0001027	150	10 pk.	1.5 oz.
AA0001028	150	50 ea.	9.4 oz.

Bona® BLUE Anti-Static



More consistent cut • Less dust on floor • Keeps machine cleaner

The new Bona BLUE Anti-Static abrasives consist of an innovative combination of grit materials and anti-static properties, designed to give you aggressive performance without sacrificing smoothness, at a tremendous value. The addition of anti-static properties helps prevent dust from clinging to the belt, which keeps your machine cleaner and leads to a more consistent cut and less dust on the floor. When other belts stop cutting, Bona BLUE keeps on working with high efficiency and smooth results. BLUE. Powerful. Smooth. You've never experienced an abrasive like this. New Anti-static available in 24-120 grit.

12" BLUE Anti-Static Sanding Belts (H)	Item No.	Grit	No./Case	Lbs./Case
11 7/8" X 31 1/2"	AAS834200163	16	10	10.5 (Not Anti-Static)
	AAS470100243	24	10	10
	AAS470100363	36	10	10
	AAS470100403	40	10	8.5
	AAS470100503	50	10	8
	AAS470100603	60	10	6.5
	AAS470100803	80	10	6
	AAS470101003	100	10	6
	AAS470101203	120	10	6

12" BLUE Anti-Static Sanding Belts (G)
11 7/9" V 20 1/2"	



Item No.	Grit	No./Case	Lbs./Case
AAS861600163	16	10	10.5 (Not Anti-Static)
AAS470000243	24	10	10.5
AAS470000363	36	10	10
AAS470000403	40	10	8.5
AAS470000503	50	10	8
AAS470000603	60	10	6.5
AAS470000803	80	10	6
AAS470001003	100	10	6
AAS470001203	120	10	6

"BonaKemi is a company we can trust not only through their excellent products, but through their dedicated and knowledgeable employees. Their customer service offers expert assistance and places them at the top in all aspects of the sport finishing business."

Chuck Maricle— Cincinnati Floor Co.

Rolls/Screens

Rolls

For use on drum sanders. High quality minerals for long lasting consistent cutting.



8" Sanding Rolls	Item No.	Grit	No./Case	Lbs./Case	
Silicon Carbide	AAS21371402	16	1	25	
25 Yard Rolls	AAS21371602	24	1	15.5	
	AAS21371802	36	1	12	
	AAS26468201	40	1	8.3	
	AAS26468301	50	1	6.9	
	AAS26468401	60	1	6.7	
	AAS26468501	80	1	6.3	
	AAS26468601	100	1	5.9	
12" Sanding Rolls	AAS21380202	24	1	23.5	
Bona BLUE	AAS21380402	36	1	19	
Dona DEGE	AAS26468701	40	1	11.6	

Zirconia/SiC blend 25 Yard Rolls

AAS21380202	24	1	23.5
AAS21380402	36	1	19
AAS26468701	40	1	11.6
AAS26468801	50	1	10.7
AAS26468901	60	1	10.2
AAS26469001	80	1	9.7
AAS26469101	100	1	8.6
AAS471501201	120	1	8.2

Screens

Highest quality silicon carbide screens for superior durability and smooth, professional results.



16" Sanding Screens	Item No.	Grit	No./Case	Lbs./C	ase
	AAS16637002	60	10	10	4
	AAS16637102	80	10	10	4
	AAS16637202	100	10	10	4
	AAS16637302	120	10	10	3.7
	AAS16637402	150	10	10	3.6
	AAS16637502	180	10	10	3.5
	AAS16637602	220	10	10	3.5



Tools & Accessories

Bona® Power Station Plus

Voltage power station for 230 and 115 volt equipment. Buck/boost for 230 volt equipment with on-line volt meter, and 20 amp breaker for 115v outlets. Accepts input voltage 208v -253v with output of 230v. Configured to work with 4wire/GFI outlets. 4-wire pigtail included.

Item No.	Lbs
AM0002417	29



Telescoping Applicator Handle (expandable to 59")

The durable and lightweight handle is designed to apply the correct amount of pressure when used with Bona Applicators. Height adjustable to 59" for added comfort. Fits 12", 18" and 24" Swivel Head Floor Coaters.

WM710013214 33"-59" 10 9

Swivel Head Floor Coater

Rustproof PVC head-handle swivels 180 degrees. For flocked foam sleeves.

Item No.	Size	No./Case	Lbs./Case
AT0002453	12"	1	1
AT0001557	18"	1	1
AT0001558	24"	1	1



Floor Coater Sleeve

Flocked foam sleeve. Perfect for use in restricted spaces.

AT0002452	12"	6	2
AT0001555	18"	6	2
AT0001556	24"	6	2

Cut-In Pad Complete

Flocked foam pad on threaded polypropylene handle.

AT0002068 4"x 9" 12 8

Cut-in Pad Refill

Flocked foam refill with adhesive back.

AT0001550 4"x 9" 12 4

"We trust no other product like the complete Bona Sport Systems. From floor finishes with unsurpassed durability to improved air quality through the Bona Atomic dustless systems, BonaKemi has the solutions."

Debbie Covlin— FLR Sanders

Maintenance

"When working on portable floors that will be used hundreds and even thousands of miles from our facility, paint and finish related problems can be frustrating and costly. Since we started using only Bona products on these high profile floors we have had no bonding, drying or other paint and finish related issues. This has been key to our success."

Mark Frainie — Design Manager, Prater's Inc.

Bona® MicroPlus™ Pro Commercial Floor Mop

Three sizes to match your floor. Bona mops feature heavy duty telescoping poles. Our mop bases are made of extruded aluminum and feature a snap lock connection that ensures the 3-part heavy duty handle will never twist out. The microfiber cleaning pad captures dirt and microparticles and can be used wet or dry.

Item No.	Size	No./Case	Lbs./Case
WM710013312	24 inch	6	19
WM710013313	36 inch	6	20
WM710013339	48 inch	6	25



Bona[®] MicroPlus[™] *Pro* Commercial Cleaning Pads

The Bona commercial cleaning pad can be used dry to attract dirt, sand and other debris common to commercial environments. Use wet with our Hardwood and Hard Surface cleaners for effective non-toxic cleaning. Washable.

Item No.	Size	No./Case	Lbs./Case
AX0003041	24 inch	8	3.3
AX0003042	36 inch	8	3.8
AX0003051	48 inch	8	4.2



Bona[®] MicroPlus[™] *Pro* Commercial Dusting Pads

The Bona commercial dusting pad is designed for dry dusting on both hardwood and hard surface floors. It's electrostatic action attracts and lifts dust, hair, microparticles and common allergens. Washable.

Item No.	Size	No./Case	Lbs./Case
AX0003044	24 inch	8	3.5
AX0003045	36 inch	8	4
AX0003052	48 inch	8	4.5



Pacific Sport Clean


Waterborne cleaner concentrate. Leaves no residue. For maintenance of all urethane-finished sport floors, including waterborne or oil-modified.

Item No.	Size/Sheen	No./Case	Lbs./Case
WM700018020	Gallon	4	35
WM700055021	5 Gallon	1	44



Bona Sport®

GYM FLOOR MAINTENANCE



1. Preventative Maintenance

- Place proper walk-off mats in doorways to keep out dirt and grit.
- Install Bona® Self-Adhesive Felt Pads on tables and chairs used on hardwood floors.
- Avoid excess moisture from tracked in water, leaks, or over-maintenance such as wet mopping.



2. Daily Maintenance

- Dry mop daily with a Bona Commercial Mop and a Microfiber
 Dusting or Microfiber Cleaning Pad to remove dust, grit, or other
 abrasive particles. DO NOT USE ANY DUST MOP TREATMENTS.
 Replace or wash Dusting or Cleaning Pads as necessary.
- Damp mop all spills or spots with a Bona Commercial Mop and Microfiber Cleaning Pad dampened with Pacific Sport Clean Concentrate diluted at the 1:8 ratio.



3. Periodic Maintenance

- Dilute 1 part Pacific Sport Clean Concentrate to 8 parts water for a tacking solution. Tack with a Bona Commercial Mop and Microfiber Cleaning Pad. Be sure to rinse or wash Cleaning Pad as necessary. Continued use of a soiled Cleaning Pad will cause streaking.
- Using a Buffer Shoe marks and scuffs can be removed by
 using a white pad and buffer (150-175 rpm) with a (1:8) solution
 of Sport Clean. Lightly mist the floor with the solution as you buff.
 Periodically clean or replace the white pad. Continued use of soiled
 pads will cause streaking.



- Using an Autoscrubber If you choose to use an autoscrubber with white pads, dilute Pacific Sport Clean to the same 1:8 ratio and ensure machine is properly adjusted to remove all cleaner immediately. No moisture should remain on the floor. Wipe up any remaining moisture with a Bona Commercial Mop and Cleaning Pad. EXCESS MOISTURE CAN DAMAGE THE WOOD.
- Make sure all residue from the white pad buffing/cleaning procedure is removed from floor surface; immediately tack the surface with a Bona Commercial Mop and Microfiber Cleaning Pad.



Contact

Bona US

Bill PriceRegional Sales Manager

Bill.Price@Bona.com 800/872-5515 x6265

Eric BennettRegional Sales Manager

Eric.Bennett@Bona.com 800/872-5515 x6604

